

Module 2: Linear Programs (Basis)

Notation

Notation

Consider

$$A = \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{1, 2, 3\}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{1, 2, 3\}$$

$$A_B = \begin{pmatrix} 1 & 2 & -1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{1, 3, 4\}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{1, 3, 4\}$$

$$A_B = \begin{pmatrix} 1 & -1 & 1 \\ 0 & 0 & 1 \\ 0 & 1 & 1 \end{pmatrix}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{5\}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{5\}$$

$$A_{\{5\}} = \begin{pmatrix} -1 \\ -1 \\ -1 \end{pmatrix}$$

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{5\}$$

$$A_{\{5\}} = \begin{pmatrix} -1 \\ -1 \\ -1 \end{pmatrix}$$

Notation

A_j denotes column j of A .

Notation

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Notation

Let B be a subset of column indices.

Then A_B is a column sub-matrix of A indexed by set B .

$$B = \{5\}$$

$$A_5 = \begin{pmatrix} -1 \\ -1 \\ -1 \end{pmatrix}$$

Notation

A_j denotes column j of A .

Basis

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices.

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

(1) A_B is a square matrix,

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{1, 2, 3\}$ a basis?

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{1, 2, 3\}$ a basis?

$$A_B = \begin{pmatrix} 1 & 2 & -1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{1, 2, 3\}$ a basis?

$$A_B = \begin{pmatrix} 1 & 2 & -1 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix}$$

YES

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{1, 5\}$ a basis?

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{1, 5\}$ a basis?

$$A_B = \begin{pmatrix} 1 & -1 \\ 0 & -1 \\ 0 & -1 \end{pmatrix}$$

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{1, 5\}$ a basis? $A_B = \begin{pmatrix} 1 & -1 \\ 0 & -1 \\ 0 & -1 \end{pmatrix}$ **NO**
 A_B is not square

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{2, 3, 4\}$ a basis?

Basis

Consider

$$A = \begin{matrix} & \begin{matrix} 1 & 2 & 3 & 4 & 5 \end{matrix} \\ \begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix} \end{matrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{2, 3, 4\}$ a basis?

$$A_B = \begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & 1 \\ 0 & 1 & 1 \end{pmatrix}$$

Basis

Consider

$$A = \begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}$$

Definition

Let B be a subset of column indices. B is a **basis** if

- (1) A_B is a square matrix,
- (2) A_B is non-singular (columns are independent).

Is $B = \{2, 3, 4\}$ a basis?

$$A_B = \begin{pmatrix} 2 & -1 & 1 \\ 1 & 0 & 1 \\ 0 & 1 & 1 \end{pmatrix}$$

NO
columns of A_B are
dependent

Question

Does every matrix have a basis?

Question

Does every matrix have a basis? **NO.**

Question

Does every matrix have a basis? **NO**.

$$A = \begin{pmatrix} 1 & -1 & 1 & 2 & 0 \\ 2 & 3 & 0 & 1 & 1 \\ -3 & -2 & -1 & -3 & -1 \end{pmatrix}$$

Question

Does every matrix have a basis? **NO**.

$$A = \begin{pmatrix} 1 & -1 & 1 & 2 & 0 \\ 2 & 3 & 0 & 1 & 1 \\ -3 & -2 & -1 & -3 & -1 \end{pmatrix}$$

The rows of A are dependent!

Question

Does every matrix have a basis? **NO.**

$$A = \begin{pmatrix} 1 & -1 & 1 & 2 & 0 \\ 2 & 3 & 0 & 1 & 1 \\ -3 & -2 & -1 & -3 & -1 \end{pmatrix}$$

The rows of A are dependent!

There are no 3 independent columns.

Question

Does every matrix have a basis? **NO.**

$$A = \begin{pmatrix} 1 & -1 & 1 & 2 & 0 \\ 2 & 3 & 0 & 1 & 1 \\ -3 & -2 & -1 & -3 & -1 \end{pmatrix}$$

The rows of A are dependent!

There are no 3 independent columns.

Theorem

Max number of independent columns =

Max number of independent rows.

Question

Does every matrix have a basis? **NO.**

$$A = \begin{pmatrix} 1 & -1 & 1 & 2 & 0 \\ 2 & 3 & 0 & 1 & 1 \\ -3 & -2 & -1 & -3 & -1 \end{pmatrix}$$

The rows of A are dependent!

There are no 3 independent columns.

Theorem

Max number of independent columns =

Max number of independent rows.

Remark

Let A be a matrix with independent rows. Then B is a basis if and only if B is a maximal set of independent columns of A .

Basic Solutions

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

Let B be a basis of A .

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

Let B be a basis of A .

- if $j \in B$ then x_j is a **basic variable**,

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

Let B be a basis of A .

- if $j \in B$ then x_j is a **basic variable**,
- if $j \notin B$ then x_j is a **non-basic variable**.

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

Let B be a basis of A .

- if $j \in B$ then x_j is a **basic variable**,
- if $j \notin B$ then x_j is a **non-basic variable**.

Example

Basis $B = \{1, 2, 4\}$.

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

Let B be a basis of A .

- if $j \in B$ then x_j is a **basic variable**,
- if $j \notin B$ then x_j is a **non-basic variable**.

Example

Basis $B = \{1, 2, 4\}$. Then

- x_1, x_2, x_4 are the basic variables,

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

Let B be a basis of A .

- if $j \in B$ then x_j is a **basic variable**,
- if $j \notin B$ then x_j is a **non-basic variable**.

Example

Basis $B = \{1, 2, 4\}$. Then

- x_1, x_2, x_4 are the basic variables, and
- x_3, x_5 are the non-basic variables.

Basic Solutions

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

(1) $Ax = b$, and

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 0 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 2, 3\}$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 0 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 2, 3\} \qquad (1) \quad Ax = b$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 0 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 2, 3\}$$

$$(1) Ax = b \quad \checkmark$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 0 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 2, 3\}$$

$$(1) Ax = b \quad \checkmark$$

$$(2) x_4 = x_5 = 0$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 1 \\ 1 \\ 0 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 2, 3\}$$

$$(1) Ax = b \quad \checkmark$$

$$(2) x_4 = x_5 = 0 \quad \checkmark$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 3, 4\}$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 3, 4\} \qquad (1) \quad Ax = b$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 3, 4\}$$

$$(1) Ax = b \quad \checkmark$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 3, 4\}$$

$$(1) Ax = b \quad \checkmark$$

$$(2) x_2 = x_5 = 0$$

Basic Solutions

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Definition

x is a **basic solution** for basis B if

- (1) $Ax = b$, and
- (2) $x_j = 0$ whenever $j \notin B$.

$$x = \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \\ 0 \end{pmatrix} : \text{basic sol'n for } B = \{1, 3, 4\}$$

$$(1) Ax = b \quad \checkmark$$

$$(2) x_2 = x_5 = 0 \quad \checkmark$$

$$\underbrace{\begin{matrix} \mathbf{1} & \mathbf{2} & \mathbf{3} & \mathbf{4} \\ \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} \end{matrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x$$

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} \end{aligned}$$

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$



$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$



$$\begin{pmatrix} x_1 \\ x_4 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix}^{-1} \begin{pmatrix} 2 \\ 2 \end{pmatrix}$$

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$



$$\begin{pmatrix} x_1 \\ x_4 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix}^{-1} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 4 \\ 2 \end{pmatrix}$$

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$



$$\begin{pmatrix} x_1 \\ x_4 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix}^{-1} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 4 \\ 2 \end{pmatrix}$$

Thus, the basic solution is $x = (4, 0, 0, 2)^\top$.

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$



$$\begin{pmatrix} x_1 \\ x_4 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix}^{-1} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 4 \\ 2 \end{pmatrix}$$

Thus, the basic solution is $x = (4, 0, 0, 2)^\top$.

Question

Did we have a choice for a basic solution x given $B = \{1, 4\}$?

$$\underbrace{\begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 2 \end{pmatrix}}_b$$

Problem

Find a basic solution x for the basis $B = \{1, 4\}$?

$$\begin{aligned} \begin{pmatrix} 2 \\ 2 \end{pmatrix} &= \begin{pmatrix} 1 & 0 & 1 & -1 \\ 0 & 1 & 1 & 1 \end{pmatrix} x \\ &= x_1 \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_2}_{=0} \begin{pmatrix} 1 \\ 0 \end{pmatrix} + \underbrace{x_3}_{=0} \begin{pmatrix} 1 \\ 1 \end{pmatrix} + x_4 \begin{pmatrix} -1 \\ 1 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} x_1 \\ x_4 \end{pmatrix} \end{aligned}$$



$$\begin{pmatrix} x_1 \\ x_4 \end{pmatrix} = \begin{pmatrix} 1 & -1 \\ 0 & 1 \end{pmatrix}^{-1} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ 2 \end{pmatrix} = \begin{pmatrix} 4 \\ 2 \end{pmatrix}$$

Thus, the basic solution is $x = (4, 0, 0, 2)^\top$.

Question

Did we have a choice for a basic solution x given $B = \{1, 4\}$? **NO!**

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Before we proceed with the proof, let's look at some conventions.

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Before we proceed with the proof, let's look at some conventions.

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Before we proceed with the proof, let's look at some conventions.

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

For $B = \{1, 2, 4\}$,

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Before we proceed with the proof, let's look at some conventions.

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

For $B = \{1, 2, 4\}$,

$$A_B = \begin{pmatrix} 1 & 2 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{pmatrix} \quad \text{and} \quad x_B = \begin{pmatrix} x_1 \\ x_2 \\ x_4 \end{pmatrix} \quad (\text{basic variables})$$

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Before we proceed with the proof, let's look at some conventions.

$$\underbrace{\begin{pmatrix} 1 & 2 & -1 & 1 & -1 \\ 0 & 1 & 0 & 1 & -1 \\ 0 & 0 & 1 & 1 & -1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 2 \\ 1 \\ 1 \end{pmatrix}}_b$$

For $B = \{1, 2, 4\}$,

$$A_B = \begin{pmatrix} 1 & 2 & 1 \\ 0 & 1 & 1 \\ 0 & 0 & 1 \end{pmatrix} \quad \text{and} \quad x_B = \begin{pmatrix} x_1 \\ x_2 \\ x_4 \end{pmatrix} \quad (\text{basic variables})$$

columns of A_B and elements of x_B are ordered by B !

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Proof

$$b = Ax$$

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Proof

$$b = Ax = \sum_j A_j x_j$$

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Proof

$$\begin{aligned} b = Ax &= \sum_j A_j x_j \\ &= \sum_{j \in B} A_j x_j + \sum_{j \notin B} A_j \underbrace{x_j}_{=0} \end{aligned}$$

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Proof

$$\begin{aligned} b = Ax &= \sum_j A_j x_j \\ &= \sum_{j \in B} A_j x_j + \sum_{j \notin B} A_j \underbrace{x_j}_{=0} \\ &= \sum_{j \in B} A_j x_j = A_B x_B \end{aligned}$$

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Proof

$$\begin{aligned} b = Ax &= \sum_j A_j x_j \\ &= \sum_{j \in B} A_j x_j + \sum_{j \notin B} A_j \underbrace{x_j}_{=0} \\ &= \sum_{j \in B} A_j x_j = A_B x_B \end{aligned}$$

Since B is a basis, it implies A_B is non-singular, i.e., A_B^{-1} exists.

Basic Solutions – Uniqueness

Proposition

Consider $Ax = b$ and a basis B of A .

Then there exists a unique basic solution x for B .

Proof

$$\begin{aligned} b = Ax &= \sum_j A_j x_j \\ &= \sum_{j \in B} A_j x_j + \sum_{j \notin B} A_j \underbrace{x_j}_{=0} \\ &= \sum_{j \in B} A_j x_j = A_B x_B \end{aligned}$$

Since B is a basis, it implies A_B is non-singular, i.e., A_B^{-1} exists.

Hence, $x_B = A_B^{-1}b$.

When Is a Vector Basic?

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic?

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic? **YES!**

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic? **YES!**

Is x basic for $B = \{3, 5\}$?

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic? **YES!**

Is x basic for $B = \{3, 5\}$?

$$(1) Ax = b$$

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic? **YES!**

Is x basic for $B = \{3, 5\}$?

(1) $Ax = b$



When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic? **YES!**

Is x basic for $B = \{3, 5\}$?

(1) $Ax = b$ ✓

(2) $x_1 = x_2 = x_4 = 0$

When Is a Vector Basic?

Definition

Consider $Ax = b$ with independent rows.

Vector x is a **basic solution** if it is a basic solution for some basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 0, 3, 0, 3)^\top$ basic? **YES!**

Is x basic for $B = \{3, 5\}$?

(1) $Ax = b$ ✓

(2) $x_1 = x_2 = x_4 = 0$ ✓

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic?

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

Proof

By contradiction. Suppose x is basic for basis B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

Proof

By contradiction. Suppose x is basic for basis B .

- $x_2 = 1 \neq 0$ implies $2 \in B$.

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

Proof

By contradiction. Suppose x is basic for basis B .

- $x_2 = 1 \neq 0$ implies $2 \in B$.
- $x_4 = 1 \neq 0$ implies $4 \in B$.

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

Proof

By contradiction. Suppose x is basic for basis B .

- $x_2 = 1 \neq 0$ implies $2 \in B$.
- $x_4 = 1 \neq 0$ implies $4 \in B$.

Thus,

$$A_{\{2,4\}} = \begin{pmatrix} 2 & 4 \\ 1 & 2 \end{pmatrix}$$

is a column submatrix of A_B .

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

Proof

By contradiction. Suppose x is basic for basis B .

- $x_2 = 1 \neq 0$ implies $2 \in B$.
- $x_4 = 1 \neq 0$ implies $4 \in B$.

Thus,

$$A_{\{2,4\}} = \begin{pmatrix} 2 & 4 \\ 1 & 2 \end{pmatrix}$$

is a column submatrix of A_B . But the columns of $A_{\{2,4\}}$ are dependent,

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 1 & 4 & 1 \\ -1 & 1 & 0 & 2 & 1 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 6 \\ 3 \end{pmatrix}}_b$$

Question

Is $x = (0, 1, 0, 1, 0)^\top$ basic? **NO!**

Proof

By contradiction. Suppose x is basic for basis B .

- $x_2 = 1 \neq 0$ implies $2 \in B$.
- $x_4 = 1 \neq 0$ implies $4 \in B$.

Thus,

$$A_{\{2,4\}} = \begin{pmatrix} 2 & 4 \\ 1 & 2 \end{pmatrix}$$

is a column submatrix of A_B . But the columns of $A_{\{2,4\}}$ are dependent, so A_B is singular and B is not a basis, a contradiction.

Multiple Bases for a Basic Solution

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Multiple Bases for a Basic Solution

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

Multiple Bases for a Basic Solution

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

- basis $B = \{1, 2\}$,

Multiple Bases for a Basic Solution

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

- basis $B = \{1, 2\}$,
- basis $B' = \{1, 3\}$,

Multiple Bases for a Basic Solution

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

- basis $B = \{1, 2\}$,
- basis $B' = \{1, 3\}$,
- basis $B'' = \{2, 4\}$,

Multiple Bases for a Basic Solution

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

- basis $B = \{1, 2\}$,
- basis $B' = \{1, 3\}$,
- basis $B'' = \{2, 4\}$,



Remark

A basic solution can be the basic solution for more than one basis.

$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

- basis $B = \{1, 2\}$,
- basis $B' = \{1, 3\}$,
- basis $B'' = \{2, 4\}$,

Remark

A basic solution can be the basic solution for more than one basis.


$$\underbrace{\begin{pmatrix} 1 & 2 & 3 & 4 & 5 \\ 3 & 2 & 0 & 1 & 1 \\ 1 & 0 & 1 & 1 & 2 \end{pmatrix}}_A x = \underbrace{\begin{pmatrix} 0 \\ 0 \end{pmatrix}}_b$$

Note: $x = (0, 0, 0, 0, 0)^\top$ is a basic solution for

- basis $B = \{1, 2\}$,
- basis $B' = \{1, 3\}$,
- basis $B'' = \{2, 4\}$,

Remark

A basic solution can be the basic solution for more than one basis.



Relation to LPs

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Remark

If the rows of A are dependent, then either

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Remark

If the rows of A are dependent, then either

- there is no solution to $Ax = b$; (P) is **infeasible**,

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Remark

If the rows of A are dependent, then either

- there is no solution to $Ax = b$; (P) is **infeasible**, OR

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Remark

If the rows of A are dependent, then either

- there is no solution to $Ax = b$; (P) is **infeasible**, OR
- a constraint of $Ax = b$ can be removed without changing the solutions.

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Remark

If the rows of A are dependent, then either

- there is no solution to $Ax = b$; (P) is **infeasible**, OR
- a constraint of $Ax = b$ can be removed without changing the solutions.



Remark

We may assume, when solving (P), that rows of A are independent.

Relation to LPs

Problem in SEF:

$$\max\{c^\top x : Ax = b, x \geq 0\} \quad (\text{P})$$

Remark

If the rows of A are dependent, then either

- there is no solution to $Ax = b$; (P) is **infeasible**, OR
- a constraint of $Ax = b$ can be removed without changing the solutions.



Remark

We may assume, when solving (P), that rows of A are independent.

Definition

A basic solution x of $Ax = b$ is **feasible** if $x \geq 0$, i.e., if it is feasible for (P).

Consider the system

$$Ax = b$$

where the rows of A are independent.

Consider the system

$$Ax = b$$

where the rows of A are independent.

Recap

(1) B is a **basis** if A_B is a square, non-singular matrix.

Consider the system

$$Ax = b$$

where the rows of A are independent.

Recap

- (1) B is a **basis** if A_B is a square, non-singular matrix.
- (2) a solution x to $Ax = b$, is **basic** for B , if $x_j = 0$ when $j \notin B$.

Consider the system

$$Ax = b$$

where the rows of A are independent.

Recap

- (1) B is a **basis** if A_B is a square, non-singular matrix.
- (2) a solution x to $Ax = b$, is **basic** for B , if $x_j = 0$ when $j \notin B$.
- (3) x is **basic** if it is basic for some basis B .

Consider the system

$$Ax = b$$

where the rows of A are independent.

Recap

- (1) B is a **basis** if A_B is a square, non-singular matrix.
- (2) a solution x to $Ax = b$, is **basic** for B , if $x_j = 0$ when $j \notin B$.
- (3) x is **basic** if it is basic for some basis B .
- (4) Each basis has a unique associated basic solution.

Consider the system

$$Ax = b$$

where the rows of A are independent.

Recap

- (1) B is a **basis** if A_B is a square, non-singular matrix.
- (2) a solution x to $Ax = b$, is **basic** for B , if $x_j = 0$ when $j \notin B$.
- (3) x is **basic** if it is basic for some basis B .
- (4) Each basis has a unique associated basic solution.
- (5) Several bases can have the same basic solution.

Consider the system

$$Ax = b$$

where the rows of A are independent.

Recap

- (1) B is a **basis** if A_B is a square, non-singular matrix.
- (2) a solution x to $Ax = b$, is **basic** for B , if $x_j = 0$ when $j \notin B$.
- (3) x is **basic** if it is basic for some basis B .
- (4) Each basis has a unique associated basic solution.
- (5) Several bases can have the same basic solution.
- (6) A basic solution is **feasible** if it is non-negative.