



Code Quality

Riccardo Scandariato

Institute of Software Security, TUHH, Germany

ric***do . scanda***to @ tuhh.de

Put name of event HERE



Learning objectives

- Understand code review activities for security

Reading material

Michael Howard, *A Process for Performing Security Code Reviews*, IEEE Security & Privacy, July 2006

- Understand emerging techniques (APR) to fix security bugs automatically in source code



Reading material

- Michael Howard, “A Process for Performing Security Code Reviews”. IEEE Security & Privacy, July 2006



Security Code Review

Apple 'goto fail;' vulnerability

```
static OSStatus
SSLVerifySignedServerKeyExchange(SSLContext *ctx, bool isRsa, SSLBuffer
signedParams, uint8_t *signature, UInt16 signatureLen)
{
    ...
    if ((err = ReadyHash(&SSLHashSHA1, &hashCtx)) != 0)
        goto fail;
    if ((err = SSLHashSHA1.update(&hashCtx, &clientRandom)) != 0)
        goto fail;
    if ((err = SSLHashSHA1.update(&hashCtx, &serverRandom)) != 0)
        goto fail;
    if ((err = SSLHashSHA1.update(&hashCtx, &signedParams)) != 0)
        goto fail;
        goto fail;
    if ((err = SSLHashSHA1.final(&hashCtx, &hashOut)) != 0)
        goto fail;
    ...
fail:
    SSLFreeBuffer(&signedHashes);
    SSLFreeBuffer(&hashCtx);
    return err;
```

<https://nvd.nist.gov/vuln/detail/CVE-2014-1266>

https://opensource.apple.com/source/Security/Security-55471/libsecurity_ssl/lib/sslKeyExchange.c

Apple 'goto fail;' vulnerability


- Problem: two consecutive **goto fail;**
 - Indentation makes us think both statements run only when the if-predicate is true
 - **err** is returned with the value of **zero**
 - The caller will believe no error occurs while verifying the signature

```
if ((err = SSLHashSHA1.update(&hashCtx, &signedParams)) != 0)
    goto fail;
    goto fail;
...
fail:
    SSLFreeBuffer(&signedHashes);
    SSLFreeBuffer(&hashCtx);
    return err;
```

Could be identified easily
by Code Review!

Security Code Review

Security Code Review: convene people (*reviewer*) to **find faults** in source code written by someone else (*author*)



- Early finding faults, quickly generating fixes
- Reduce testing effort
- Manual, time- and effort-consuming work



But also...

- Compliance
- E.g., Requirement 6.3.2 in **Payment Card Industry Data Security Standard (PCI-DSS)** mandates a code review of custom code

Code Review Types

- **Manual** Code Review
 - Allow to use the knowledge from reviewer
 - Takes time, expertise and effort
- Code Review w/ **Static Analysis** Tools
 - Automated, could be very useful for large projects
 - Could produce many **False Positives**

→ Use both for better results

Static Analysis

- Inspect code **without running** it to **find bugs (common case!)** or to gain confidence about **bugs absence** (i.e., reason about the program's correctness)
- Provide security warnings about (common) mistakes
(Buffer overflow, API misuse,...)
- E.g., SonarQube, Checkmarx, Veracode, SpotBugs, etc..




Why using Static Analysis for Code Review?

- Manual code review usually requires **expertise in secure coding**
- Static Analysis could be integrated into CI/CD to **run automatically**
- Humans are **imperfect** and could **miss faults (FN)**

We cover Static Analysis in the **Software Security** course :)

Humans vs machines ;)

- Track taint
 - SAST tool effective
 - Too complex for human?
- Find credentials in code or config file
 - All SAST tools have this rule
 - Human can do that too (but useful?)
- Correct use of Crypto API
 - Only specialized tools exist (academic)
 - Human
- Handle sensitive data with care
 - Tool: def of sensitive?
 - Human





Manual Code Review

Code Review Guidelines

- IEEE Standard for Software Reviews and Audits, IEEE Std 1028-2008 [1]
 - Not specific to security
 - Def of terms and roles
- **OWASP Code Review Guideline** [2]
 - Focus on reviewing code for security Top 10 vulnerabilities (**220 pages !!!**)

[1] <https://standards.ieee.org/standard/1028-2008.html>


[2] <https://owasp.org/www-project-code-review-guide>



The ONLY VALID MEASUREMENT
OF CODE QUALITY: WTFs/MINUTE

Roles in Code Review

- **Author** (who writes code)
 - Can answer any specific questions, or reveal blind spots
- **Reader** (reviewer, not the author)
 - Leads through the review
- **Scribe/Recorder**
 - Documents faults, actions, decisions made in the meeting
- **Inspection Leader/Moderator**
 - Planning and organizational tasks
 - Moderate review meeting
 - Organize follow-up on issues





Participants in Code Review

- **Standard: People with *readability*, but *objectivity***
 - e.g. system architect
 - e.g. developer working on the same project, but different team
- **Not for security !!!**
 - People experienced with security, e.g., consultants, experienced developers
- **Including more than four generally slows the process**
 - People tend to argue
 - Getting side-tracked on unrelated issues

Code Review Process

- Code Review Processes vary widely in their formality
- e.g., **Inspection** – most formal process
 - Separated roles
 - Usage of Checklists
 - Formal collection of metrics defects
- e.g., **Walkthrough** – less formal process
 - Author = Moderator, Reader
 - Driven by author's goals
 - **Anything in between**



Checklists for Code Review

- Identify relevant aspects
- Walk through the functionality of the code
 - Look for too much complexity, functionality
 - Look for common defensive coding mistakes
 - Look for Common Vulnerabilities


Example: Checklist for crypto issue

```
// Simple Java code to encrypt/decrypt data
private static byte[] encrypt(byte[] raw, byte[] clear) throws Exception {
    SecretKeySpec skeySpec = new SecretKeySpec(raw, "AES");
    Cipher cipher = Cipher.getInstance("AES");
    cipher.init(Cipher.ENCRYPT_MODE, skeySpec);
    byte[] encrypted = cipher.doFinal(clear);
    return encrypted;
}

private static byte[] decrypt(byte[] raw, byte[] encrypted) throws
Exception {
    SecretKeySpec skeySpec = new SecretKeySpec(raw, "AES");
    Cipher cipher = Cipher.getInstance("AES");
    cipher.init(Cipher.DECRYPT_MODE, skeySpec);
    byte[] decrypted = cipher.doFinal(encrypted);
    return decrypted;
}
```

Using **AES** in **CBC** mode
(default) is insecure

Example: Checklist for crypto issue



Example: OWASP checklist for SQLi

- Review all code that calls EXECUTE, EXEC, any SQL calls that can call outside resources or command line
 - Always validate user input by testing type, length, format, and range
 - Test the content of string variables and accept only expected values
 - Never build SQL statements directly from user input
 - Use SQL API provided by platform. i.e. Parameterized Statements
 - ...



Fatigue

- In this type of activity, people get tired quickly
 - Two hours long sessions
 - Max two such sessions per day
- What to do in case of larger apps?
 - Set priorities!



Where to start

- Code listening on a globally accessible network interface
- Code that runs with elevated privileges
- Code that handles sensitive data

- Old code
- Code with a history of vulnerabilities
- Complex code
- Code that changes frequently



Code review effective?

- How important are these activities (code review) to assure the code quality?
- Recent research found a huge change in development process of an open-source project [1]
 - After a vulnerability scandal

[1] James Walden. The Impact of a Major Security Event on an Open Source Project: The Case of OpenSSL. MSR 2020.

OpenSSL & Heartbleed Vulnerability

- **OpenSSL**
 - One of most common used libraries
 - Secure communications over internet
- **Heartbleed**
 - Discovered in 2014
 - Exploited a **buffer over-read vulnerability** in the cryptography library of OpenSSL
 - Two-thirds of https-enabled websites worldwide were affected





OpenSSL responses after the Heartbleed

Sep 2014 Publication of **security policy** on **vulnerability handling**

2015 Code commits **require review** before merged

Feb 2015 All code base are reformatted to follow **one coding style**


Mar 2016 Add tools (directory / `fuzz`) for supporting easy **fuzzing**

Aug 2016, Release new versions: **remove old algorithms/protocols**

Sep 2018 (3DES, RC4, SSLv2), support for TLS 1.3, SHA3

OpenSSL metrics after the Heartbleed

Code Size and Complexity



Project size **decreases significantly** then increases slowly (with new features TLS 1.3, SHA3)

Code complexity **decreases significantly** and remains low

→ Results of refactoring and reformatting code

OpenSSL metrics after the Heartbleed

of vulnerabilities





Figure 1: OpenSSL Vulnerabilities Reported by Year




Automated Vulnerability Repair in Source Code

Automate the Debugging Process



- **Identifying Bug:** Static Analysis (verification, code review), Testing, Fuzzing ...
- **Locating Bug:** Logging, Assertion, Profiling, ML, **Fault Localization** ...
- **Repairing Bug:** Automated Program Repair (APR)


Automated Program Repair - APR



Testsuite with **at least 1**
failing test

Automated Program Repair aims to repair software bugs automatically, help to **reduce** or **even remove** **human intervention** from bug fixing process


Inside an APR Tool



Plausible patches might **NOT** be **semantically correct** when compared to the developer's patches!

→ **Overfitting Problem of APR**

Fault Localization



- Based on testing results
- Spectrum-based Fault Localization (SBFL)
- Mutation-based Fault Localization (MBFL)



Mutant-based Fault Localization (MBFL)

- Change a single line of code
- Execute P/F tests
- Collect results
- Compute suspiciousness and sort accordingly

- VERY expensive
(run all the tests on a large number of mutants)

Spectrum-based Fault Localization

- Leveraging the **coverage information** of passing tests and failing tests
- The **more failing tests execute** the statement **S**, the **more suspicious** it is
- Many **similarity coefficients** to compute suspiciousness

$$Ochiai = \frac{a_{11}}{\sqrt{(a_{11} + a_{01}) \times (a_{11} + a_{10})}}$$

a₁₁ = executed and failed

a₁₀ = executed and passed

a₀₁ = not executed and failed

a₀₀ = not executed and passed

$$Tarantula = \frac{\frac{a_{11}}{a_{11} + a_{01}}}{\frac{a_{11}}{a_{11} + a_{01}} + \frac{a_{10}}{a_{10} + a_{00}}}$$

SBFL Example

Observation Matrix

	Test Cases								Ochiai		Tarantula			
	t1	t2	t3	t4	t5	t6	t7	t8	suspiciousness _O	rank	suspiciousness _T	confidence	rank	
mid() { int x,y,z,m;	3,3,5	1,2,3	3,2,1	5,5,5	5,3,4	7,5,4	2,1,3	4,3,5						
1: read("Enter 3 numbers:", x,y,z);	●	●	●	●	●	●	●	●	0.5	7	0.5	1.0	7	
2: m = z;	●	●	●	●	●	●	●	●	0.5	7	0.5	1.0	7	
3: if (y<z)	●	●	●	●	●	●	●	●	0.5	7	0.5	1.0	7	
4: if (x<y)	●	●			●		●	●	0.63	3	0.67	1.0	3	
5: m = y;		●							0.0	13	0.0	0.17	12	
6: else if (x<z)	●				●		●	●	0.71	2	0.75	1.0	2	
7: m = y; // *** bug ***	●						●	●	0.82	1	0.86	1.0	1	
8: else			●	●		●			0.0	13	0.0	0.5	9	
9: if (x>y)			●	●		●			0.0	13	0.0	0.5	9	
10: m = y;			●			●			0.0	13	0.0	0.33	10	
11: else if (x>z)				●					0.0	13	0.0	0.17	12	
12: m = x;									0.0	13	0.0	0.0	13	
13: print("Middle number is:",m);	●	●	●	●	●	●	●	●	0.5	7	0.5	1.0	7	
}														
Pass/Fail Status	P	P	P	P	P	P	F	F						

APR Technique Families

Patch Generator

- **Heuristics-based** Repair (Aka Generate-and-Test Repair)
- **Constraint-based** Repair (Aka Synthesis-based Repair)
 - Based on symbolic execution
- **Learning-based** Repair
 - E.g., deep learning on AST-to-AST transformation templates that summarize how patches modify buggy code into correct code
 - Learning can also be used to assess the generated patch (“similarity with regard to the code corpus”)

APR for Security Vulnerabilities

- Security vulnerabilities don't often come with **proof-of-vulnerability** test cases
 - SBFL could not be applied to locate the faults
- FL module could be **replaced/ combined** with **SAST tools** or **in-house prediction techniques**
 - SAST tools provide useful information about the location and the presence of vulnerable code
- Only few work done for vulnerability repair in the literature so far

APR for Security Vulnerabilities

- **C/C++**
 - Zhen Huang et al. **Using Safety Properties to Generate Vulnerability Patches**. S&P'19.
 - Jacob Harer et al. **Learning to Repair Software Vulnerabilities with Generative Adversarial Networks**. NIPS'18.
- **Java**: Siqi Ma et al. **VuRLE: Automatic Vulnerability Detection and Repair by Learning from Examples**. ESORICS'17.
- **Android**: Ruian Duan et al. **Automating Patching of Vulnerable Open-Source Software Versions in Application Binaries**. NDSS'19.